

P6-CNG

SPEC SHEET



DESCRIPTION: The P6-CNG Cut 'N' Grind is a triple application disc that cuts like a traditional diamond blade, grinds like a cup wheel and is ideal for flush cutting. Designed for use on angle grinders, it can be used for straight cutting, flush cutting, grinding, edge grinding and shaping a variety of building materials including concrete, stone, marble, tile and granite. With an M14 fitting for comfort and greater clearance, the disc fits directly onto the spindle of an angle grinder.

FEATURES: 10mm high multi purpose cutting turbo rim, 25mm multi purpose grinding face, suitable for flush cutting, removable M14 mount for 22.2mm bore.

MACHINE SUITABILITY: Cordless and Electric angle grinders.

STANDARDS:

- EN13236: European Standard that regulates the safety requirements for super abrasive (diamond) products.

DIAMOND BLADE TIPS:

- Make certain the blade is suitable for the material before cutting.
- Remove the flanges from the machine, and thread the blade directly onto the machines spindle
- When cutting, guide the blade straight into the material
- When grinding with the blade, ensure that it is kept flat to the surface to avoid uneven wear
- Do not use unnecessary pressure, the weight of the machine is sufficient
- Carry out a slight pendulum movement (forwards, backwards)
- If cutting speed reduces you can re-sharpen (dress) diamond segments by making several passes into a highly abrasive material such as a 3-Newton concrete or cinder (breeze) block.


PRODUCT DETAILS:

Part No. Dimensions

DP19110	115mm x M14 / 22.2mm
DP19111	125mm x M14 / 22.2mm
DP19112	230mm x M14 / 22.2mm

PACKAGING DETAILS:

White corrugated cardboard box.



IDEALLY SUITED OCCASIONAL USE

MATERIAL	IDEALLY SUITED	OCCASIONAL USE
ALUMINIUM		
ASPHALT		
ASPHALT OVER CONCRETE		
BRICKS - CLASS A ENGINEERING		
BRICKS - CLASS B ENGINEERING		
BRICKS - STANDARD FACING BRICKS		
CEMENT FIBRE BOARD		
CAST IRON		
CLAY PRODUCTS		
COMPOSITE CLADDING & PANELS		
CONCRETE - BEAMS, KERBS, PIPES & SLABS		
CONCRETE - BLOCK PAVING		
CONCRETE - FLAG STONES		
CONCRETE - FLINT AGGREGATE		
CONCRETE - GENERAL PURPOSE		
CONCRETE - GREEN (up to 24 Hours Old)		
CONCRETE - HEAVY STEEL REINFORCEMENT		
CONCRETE - LIGHT STEEL REINFORCEMENT		
CONCRETE - ROOF TILES		
CONCRETE BLOCKS - LIGHTWEIGHT 3 TO 7 NEWTON		
CONCRETE BLOCKS - MEDIUM DENSITY 7 TO 12 NEWTON		
CONCRETE BLOCKS - SOLID DENSITY 12+ NEWTON		
CEMENT SCREED		
EARTHSTONE WORKTOPS		
FIBREGLASS		
GLASS REINFORCED PLASTIC (GRP)		
GRANITE - BLOCKS & WORKTOPS		
GRITSTONE		
GROUNDWORK - HARD SOIL		
LAMINATED PRODUCTS		
LIMESTONE		
MARBLE - BLOCKS & WORKTOP		
MORTAR RAKING		
PE POLYETHYLENE PLASTIC		
PP POLYPROPYLENE PLASTIC		
QUARTZ WORKTOPS		
RUBBER		
RAILWAY SLEEPERS		
SANDSTONE - ABRASIVE		
SANDSTONE - INDIAN		
STAINLESS STEEL (INOX)		
STEEL SECTION - PIPES & BARS		
TILES - CERAMIC		
TILES - GRANITE		
TILES - LIMESTONE		
TILES - MARBLE		
TILES - PORCELAIN		
TILES - SLATE		
TREE ROOTS		
WOOD		
YORK STONE		

E sales@premierdiamondproducts.co.uk T +44 (0) 1227 711 555



www.premierdiamondproducts.co.uk



CUTTING EDGE TECHNOLOGY