

ST-SDSM ST4

SPEC SHEET



■ IDEALLY SUITED ■ OCCASIONAL USE

MATERIAL	
ASPHALT	
ASPHALT OVER CONCRETE	
CAST CONCRETE	
CEMENT SCREED	
CHALK STONE	
CONCRETE - BEAMS, KERBS, PIPES & SLABS	
CONCRETE BLOCK PAVIOURS	
CONCRETE LINTELS	
CONCRETE PIPES	
COTSWOLD STONE	
ENGINEERING BRICKS	
EXTERIOR RENDER	
FACING BRICKS	
FLINT AGGREGATE CONCRETE	
GREEN CONCRETE	
LIMESTONE	
MORTAR	
REINFORCED CONCRETE	
SANDSTONE - ABRASIVE & GRITSTONE	
YORK STONE	

DESCRIPTION: The ST4 4-cutter drill bits use an automated copper soldering process to adhere the high quality tungsten carbide tips, giving them added strength. This allows them to perform on tough applications such as concrete, bricks, blocks and natural stone.

SIZE RANGE: Over 20 diameters from 12mm to 38mm, in lengths from 340mm to 1000mm. (For a full range of sizes, please visit - www.sitetuff.co.uk or see our product catalogue.)

FEATURES:

- 4-cutter Design for longer life
- Powerful dust rejection, due to a specially engineered spiral design
- Ideal for resin anchors.


MACHINE SUITABILITY: SDS-MAX

USER TIPS:

- Always use the side handle provided with the machine
- Do not use excessive pressure, just enough to keep the bit in constant contact with the surface you are drilling
- Remember to clear the excess debris from the hole whilst drilling. Do this by periodically moving the bit in and out of the hole. This will reduce the risk of the bit binding in the hole
- Once you have drilled to the desired depth, allow the bit to spin whilst withdrawing from the hole to remove as much of the debris as possible.

PACKAGING DETAILS:

Polypropylene (PP5) plastic hanging tab.



E sales@premierdiamondproducts.co.uk T +44 (0) 1227 711 555